## Claims

- 1 1. A workload balancing system for distributing data
- 2 processing transactions into a plurality of messages and
- 3 for dynamically allocating each of said messages to
- 4 different computer systems for performance comprising:
- 5 means for requesting the performance of a data
- 6 processing transaction,
- 7 a server computer for said distributing said
- 8 transaction into a plurality of messages and allocating
- 9 said messages to different computer systems, and
- 10 user interactive display means for displaying said
- 11 allocated messages and associated computer systems.
- 1 2. The workload balancing system of claim 1 further
- 2 including a server queue for storing the plurality of
- 3 messages from the distributed transaction.
- 1 3. The workload balancing system of claim 2 wherein each
- 2 of said different computer systems has an associated
- 3 queue for storing messages allocated to each respective
- 4 computer system.
- 1 4. The workload balancing system of claim 3 wherein at
- 2 least one of said different computer systems has means
- 3 for reallocating to other computer systems, messages
- 4 initially allocated to said one computer system.
- 1 5. The workload balancing system of claim 4 further
- 2 including user interactive means for displaying said
- 3 reallocated messages and computer systems to which said
- 4 messages are reallocated.

- 1 6. The workload balancing system of claim 1 further
- 2 comprising an interactive display computer including said
- 3 means for requesting the performance of a data processing
- 4 transaction and user interactive display means for
- 5 displaying said allocated messages and associated
- 6 computer systems.

- 1 7. A method for distributing data processing
- 2 transactions into a plurality of messages and for
- 3 dynamically allocating each of said messages to different
- 4 computer systems for performance comprising:
- 5 requesting the performance of a data processing
- 6 transaction,
- 7 distributing said transaction into a plurality of
- 8 messages and allocating said messages to different
- 9 computer systems, and
- 10 interactively displaying said allocated messages and
- 11 computer systems.
- 1 8. The method of claim 7 further including the step of
- 2 storing the plurality of messages from the distributed
- 3 transaction in a queue.
- 1 9. The method of claim 8 including the step of storing
- 2 messages allocated to each respective computer system in
- 3 a queue associated with said computer system.
- 1 10. The method of claim 9 further including the step of
- 2 reallocating to other computer systems, messages
- 3 initially allocated to one of said different computer
- 4 systems.
- 1 11. The method of claim 10 further including the step of
- 2 user interactively displaying said reallocated messages
- 3 and computer systems to which said messages are
- 4 reallocated.

- 1 12. A computer program having program code included on a
- 2 computer readable medium for workload balancing of
- 3 distributed data processing transactions comprising:
- means for requesting the performance of a data
- 5 processing transaction,
- 6 means for distributing said transaction into a
- 7 plurality of messages and allocating said messages to
- 8 different computer systems, and
- 9 user interactive display means for displaying said
- 10 allocated messages and associated computer systems.
  - 1 13. The computer program of claim 12 further including
  - 2 queue means for storing the plurality of messages from
  - 3 the distributed transaction.
  - 1 14. The computer program of claim 13 wherein each of
  - 2 said different computer systems has an associated queue
  - 3 for storing messages allocated to each respective
  - 4 computer system.
  - 1 15. The computer program of claim 14 further including
  - 2 means for reallocating to other computer systems,
  - 3 messages initially allocated to said one computer system.
  - 1 16. The computer program of claim 15 further including
  - 2 user interactive means for displaying said reallocated
  - 3 messages and computer systems to which said messages are
  - 4 reallocated.

- 17. The computer program of claim 12 wherein said means 1
- 2 for requesting the performance of a data processing
- transaction and said user interactive display means for 3
- displaying said allocated messages and computer systems 4
- are in a user interactive display computer. 5

| 1 | 18. | A | workload | balancing | system | for | distri | ibuting | data |
|---|-----|---|----------|-----------|--------|-----|--------|---------|------|
|---|-----|---|----------|-----------|--------|-----|--------|---------|------|

- 2 processing transactions into messages and for dynamically
- 3 allocating said messages to different computer systems
- 4 for performance comprising:
- means enabling a user to request the performance of
- 6 a data processing transaction,
- 7 a server computer for dynamically transforming
- 8 requested transactions into messages without user input
- 9 and allocating said messages to different computer
- 10 systems, and
- user interactive display means for displaying said
- 12 allocated messages and associated computer systems.

associated computer systems.

11

| 1  | 19. A method for distributing data processing            |
|----|--|
| 2  | transaction messages and for dynamically allocating said |
| 3  | messages to different computer systems for performance   |
| 4  | comprising:  |
| 5  | enabling a user to request the performance of a data     |
| 6  | processing transaction,                                  |
| 7  | dynamically transforming transactions into messages      |
| 8  | without user input and allocating said messages to       |
| 9  | different computer systems, and                          |
| 10 | interactively displaying said allocated messages and     |

| 1 20. A computer program having program code include | L | included on | а |
|--|---|-------------|---|
|--|---|-------------|---|

- 2 computer readable medium for workload balancing of
- 3 distributed data processing transactions comprising:
- 4 means enabling a user to request the performance of
- 5 a data processing transaction,
- 6 means for dynamically transforming requested
- 7 transactions into messages without user input and
- 8 allocating said messages to different computer systems,
- 9 and
- user interactive display means for displaying said
- 11 allocated messages and associated computer systems.